

mSupply Desktop Integration

Prerequisites

Minimum (BlueMaestro syncing with mSupply Desktop):

- mSupply cold chain app version: 0.4.2 recommended
- mSupply Desktop version: V5-04-00 or higher recommended

Laird Sensor Support

- mSupply cold chain app version: 0.5.0-rc0
- Minimum mSupply Desktop version: V5-07-00-RC41

mSupply Desktop Setup Steps


Instructions on the server side setup are located on the [mSupply Desktop documentation](#) site.

Developer notes


The Swagger API used for communicating with mSupply desktop is described [here](#):

mSupply Cold Chain Setup Steps


Navigate to [SETTINGS](#) (located at the bottom of the main screen):



Navigate to [SYNC SETTINGS](#)



- Put in your store credentials under USERNAME and PASSWORD
- Add Urls
 - Authentication - example: <http://192.168.4.3:8080/coldchain/v1/login>
 - Temperature-log - example: <http://192.168.4.3:8080/coldchain/v1/temperature-log>
 - Temperature-breach - example: <http://192.168.4.3:8080/coldchain/v1/temperature-breach>
 - Sensor - example: <http://192.168.4.3:8080/coldchain/v1/sensor>



- The tablet will push data into the server every 1-2 minutes

From:
<https://wiki.msupply.foundation/> - **mSupply Foundation Documentation**

Permanent link:
https://wiki.msupply.foundation/en:cold_chain:msupply_integration

Last update: **2022/06/02 06:03**

