4. Configuring the Store and Dispensing

Making items visible in the new store using Master List(s)

1. Click on the **Master Lists** tab and select at least one Master List.

Genera	Preferences	Logo	Synchronization	Custom fields	Master Lists
		List name			Use master list
Gryffindor All Ite	ms				

- 2. Click **OK**
- 3. Click **OK** again

Setting up the correct synchronisation settings

If you have used store_create_from_name for creation of the store, and you have specified the sync site that the store will be **Active** on, then all you need to do here is:

- Change the Synchronisation type for this store on the Primary Server to **Collector** if so desired (normally the case)
- Configure this new store's Sync type to be **Transfer** or **Active/Collector** for any *other* sync sites that need to deal with this store.
- Edit store synchronisation settings (Special > Show Stores > Double-click on store > Synchronisation > Click to Unlock, enter code to edit):
- In the table below, in row of the Sync site that was created for this store, tick the tickbox in the Local column. This will automatically change the Sync type for that site to Active/Collector.

Last update:	opmobile sotupison or side configettes //wiki msupply foundation/opmobile sotupison or side configeroum 1592109262
2020/03/02 00:17	en:mobile:setup:server_side:config https://wiki.msupply.foundation/en:mobile:setup:server_side:config?rev=1583108263

Synchronisa Set as for			0		Click to un-lad	e l		
	prescriptions in sync							
include s	eren general and a spine							
Sync ID	5							
Sync with :								
Sync ID	User name	Sync type		ocal	1			
7	General	None	• E	1				
6	Hogwarts Dispensary	None		31				
2	Grytfindor	None		1 1				
3	Hufflepuff	None		3				
4	Slytherin	None		1				
5	Mobile Store 1	Active/collector						
				-				
			1					

- 3. Set Synchronisation type at the top to Collector
- 4. Click **OK**

Make the Store visible to other Stores

1. Edit the 'name' associated with the Store and configure visibility to other Stores appropriately

Custom settings

Setting name	Allowed Value(s) ¹⁾	Description
usesDispensaryModule	true or <i>false</i>	Needs to be set to true if dispensing (see below)
usesDashboardModule	true or false	Needs to be set to true if using the dashboard
usesVaccineModule	true or false	Needs to be set to true if using the vaccines module
usesCashRegisterModule	true or <i>false</i>	Needs to be set to true if using the cash register
usesPaymentModule	true or false	Needs to be set to true if handling cash payments. There are some (good!) side effects if this setting is true: The sell and cost price columns are shown on Supplier Invoices and are also shown when editing batches in a stocktake where the sell price is editable. See below for examples.
usesSupplierCreditModule	true or <i>false</i>	Needs to be set to true if allowing returns from the stock page, which in turn allows supplier credits

Setting name	Allowed Value(s) ¹⁾	Description
usesPatientTypes	true or false	If set to true then you can choose between "Inpatient and Outpatient" when dispensing. The data is stored in the transact.user1 field. Of course, <u>usesDispensaryModule</u> must be set to true for this to have any effect (see above)
monthsLeadTime	number (0)	The months of lead time - will be multiplied by 30 to use in mobile as months of lead time
monthlyConsumptionLookBackPeriod	number (12)	The number of months to look back when calculating average monthly consumption (AMC)
monthlyConsumptionLookEnforceLookBackPeriod	true or false	if True, then the full lookbackup period will be used, even if there is no consumption in those periods. We don't recommend this, but it's here to comply with the rules in some countries

Other configurations that then affect how mobile behaves

Item	Description
Programs	If you have a master list configured as a program, in mobile you will then be able to perform stock takes by program or supplier requisitions.
Reasons	If you have BOTH positive and negative inventory adjustments, have to apply a reason to stocktake lines with a difference $!= 0$
Prescription Categories	If you have transaction categories with type of "prescription" mobile will display a drop down list of prescription categories to select from
	If you configured an insurance provider, then mobile will give you the ability to choose a policy, and to edit and create them at the end of a prescription
Payment Types	If you have configured any payment types, they'll show up in a list at the end of a prescription

Dispensary mode

1. Ensure that your store is a Dispensary by choosing **Dispensary** from the drop-down list on the **General** tab of the store preferences.

no store				New store				
Store code Demo 1 dispensary Name Demo store Organization name Address line 1 Address line 2 Address line 3 Address line 4 Address line 5 Postal/Zip Code Phone	Demo store							
Store code Demo 1 dispensary Name Demo store Organization name Address line 1 Address line 2 Address line 3 Address line 4 Address line 5 Postal/Zip Code Phone		General Prei	erences Logo	Synchronisation	Custom fields	Master lists		
Name Demo store Disable this store Organization name Responsible officer none Image: Comparison of the store Address line 1 Image: Comparison of the store Image: Comparison of the store Address line 2 Image: Comparison of the store Image: Comparison of the store Address line 3 Image: Comparison of the store Image: Comparison of the store Address line 4 Image: Comparison of the store Image: Comparison of the store Address line 5 Image: Comparison of the store Image: Comparison of the store Postal/Zlp Code Image: Comparison of the store Image: Comparison of the store Phone Image: Comparison of the store Image: Comparison of the store								
Organization name Address line 1 Address line 2 Address line 3 Address line 4 Address line 5 Postal/Zlp Code Phone					Disable this store			
Address line 1 Address line 2 Address line 3 Address line 4 Address line 5 Postal/Zlp Code Phone		e			Disable this store			
Address line 2 Address line 3 Address line 4 Address line 5 Postal/Zlp Code Phone				Responsible off	icer none	٥		
Address line 3 Address line 4 Address line 5 Postal/Zlp Code Phone								
Address line 4 Address line 5 Postal/Zlp Code Phone								
Address line S Postal/Zlp Code Phone								
Postal/Zip Code Phone								
Phone								
Tags								
	Tags							
Cancel							Cancel	ОК

2. The mobile store needs to have the following field in Custom Fields for the dispensary to be visible in mobile

0		Preferences	Logo	Synchronisation	Custom fields	Master lists		
	v line Delete line(s)						
		label			Field value			
usesDi	pensaryModule			true				
							Cancel	OF

Of course you will need to synchronise mSupply mobile with the server before the mobile device receives these configuration settings. After sync, your Navigator window will look like this

	a series and s	mSupply	SYNC ENABLED 📥 🛱 🔊
	99+ Customer Invoices Customer Requisitions		1 Supplier Invoices 1 Supplier Requisitions
	Current Stock Stocktake		Dispensary
U LOG OUT			SETTINGS

When the Payments module is on

The cost and sell price are visible on supplier invoices:

Last update:	animabilaisatunisaniar	cido, config https://	wiki maunnly foundation	/on mobile cotum conver	cido.config2rov_1E	00100060
2020/03/02 00:17	en:mobile:setup:server_	_side:comig https://v	wiki.msupply.loundation	/en:mobile:setup:server_	_side:configrev=150	33100203

ITEM CODE ITEM NAME QUANTITY EXPLOY OOST PRICE SELL PRICE AD01090 PLUMPTY NUT such 92g carton/150 150 09/2019 0.00 D.00	
TEM CODE	RICE REMO
ADD109D PLUMPY NUT mach 92g carbon/150 150 09/2019 0.00 0.00	
	0.00
	0.00
E18123 VITAMINE A 100 000 UI caps 20 09/2020 0.00 0.00 0.00	0.00
E18124 VITAMINE A 200 000 UT caps 150 12/2019 0.00 D.00	0.00

The cost and sell price are visible when doing stocktakes:

Comment							×
ITEM NAME	ABACAVIR / LA	MIVUDINE 60/30	MG CP				Add Batch
BATCH NAME	COST PRICE	SELL PRICE	EXPIRY	SNAPSHOT QUANTITY	ACTUAL \$	DIFFERENCE 🜲	REASON
stocktake_21	10.00	10.00		56	Not Counted	N/A	N/A

Previous: **3. Create the Store** | | Next: **5. Setting up the Users to access the store**

Default value is in italics- this is used if pref is not configured

From:

https://wiki.msupply.foundation/ - mSupply Foundation Documentation

Permanent link: https://wiki.msupply.foundation/en:mobile:setup:server_side:config?rev=1583108263

Last update: 2020/03/02 00:17

