

Adverse Drug Reaction Reporting

From version 7.1 mSupply mobile includes the ability to report on Adverse Drug Reactions It is able to be used with AEFI (Adverse Events From Immunisation) reporting.

Set up

Entering an adverse reaction report

To report, a patient must be entered. If you are at the facility where the drug was administered, the patient should already be in the system.

If the patient isn't in the list:

1. Tap the **Lookup Patient** button to query the central server to retrieve their name.
2. If you still can't find them (which should be rare), then you can tap **New Patient** to enter their details.

Once the patient is found, tap the **plus** icon in the ADR column to add an adverse event report for that patient.

ADR Form for: Griffin, Joshua

Adverse Drug Reaction

Facility

The facility or workplace where this reaction is being reported

Reporting date

Reporting time

Adverse Effects

Lymphadenopathy

Yes

No

Fever

≥ 38°C

CANCEL

SAVE

ADR Form for: Griffin, Joshua

Adverse Drug Reaction

Adverse Effects

Lymphadenopathy

Yes

No

Fever

None

Flu-like illness

None

Chills

None

Fatigue

None

CANCEL

SAVE

ADR Form for: Griffin, Joshua

Adverse Drug Reaction

Seizures
None

Neurological event
☐ Yes ☒ No

Thrombocytopenia
☐ Yes ☒ No

Vasovagal/Syncope
☐ Yes ☒ No

Dizziness
☐ Yes ☒ No

Tachycardia/Palpitations
☐ Yes ☒ No

CANCEL **SAVE**

Once you have entered all the data you are able to, tap **Save**

The data will be synchronised to the central server, where it can be displayed on the dashboard (anonymised of course!), or sent to other aggregating systems.

From:
<https://wiki.msupply.foundation/> - mSupply Foundation Documentation

Permanent link:
https://wiki.msupply.foundation/en:mobile:user_guide:adverse_drug_reactions

Last update: **2021/03/26 05:18**

