



User Guide - mSupply Mobile

11. Indicators

Indicators are used for reporting on the performance of drug regimens for a given store and time period. Indicators are designed to summarise the existing regimen. This allows an organisation to analyse a program and determine what further data should be collected, stored and processed.

11.1. Creating indicator data as a customer

If your store program has indicators associated with it you can add indicator data to the Supplier Requisition while creating it.

In the requisition window click the “Indicators” button in the top right corner. When data is added it will be sent to the supplier once the requisition is finalised.

| Description | Code | Patients adultes reçus | Patients enfants reçus | Patient stable adulte | Patient stable enfant | Nouvelle inclusion adulte | Nouvelle inclusion enfant | Referes |
|--------------------------|---------------|------------------------|------------------------|-----------------------|-----------------------|---------------------------|---------------------------|---------|
| Régime ARV de 1ère Ligne | AZT/3TC/NVP | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Régime ARV de 1ère Ligne | AZT/3TC/EFV | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Régime ARV de 1ère Ligne | AZT/3TC/TDF | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Régime ARV de 1ère Ligne | AZT/3TC/LPV/r | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

11.2. Viewing indicator data as a supplier

When a corresponding Customer Requisition has been generated the indicator data can be viewed in the requisition by clicking the “Indicators” button in the top right corner.

Note that in the Customer Requisition indicator data be viewed but not edited.

Previous: [The Mobile Dashboard](#) | Next: [Mobile Settings](#)

From:
<https://wiki.msupply.foundation/> - **mSupply Foundation Documentation**

Permanent link:
https://wiki.msupply.foundation/en:mobile:user_guide:indicators?rev=1580184369

Last update: **2020/01/28 04:06**

