## 11. Indicators

Indicators are used for reporting on the performance of drug regimens for a given store and time period. Indicators are designed to summarise the existing regimen. This allows an organisation to analyse a program and determine what further data should be collected, stored and processed.

## 11.1. Creating indicator data as a customer

If your store program has indicators associated with it you can add indicator data to the Supplier Requisition while creating it.

In the requisition window click the "Indicators" button in the top right corner. When data is added it will be sent to the supplier once the requisition is finalised.

				-				
Program: Order type: Entry Date: Entered By:	HIV Nouveau type d 24/1/2020 mobile	Period: Supplier: Months Stock: Comment:	Y.	4/09/19 - 05/16/1	9)	HIV	ltems	Indicators
Q Search	by item name or iter	m code Patients adultes recus	Patients enfants reçus	Patient stable	Patient stable	Nouvelle inclusion adulte	Nouvelle inclusion enfant	Referes
	AZT/3TC/NVP	0	0	0	0	0	0	0
ère Ligne légime ARV de	AZT/3TC/NVP AZT/3TC/EFV	0	0	0	0	0	0	0
Régime ARV de lère Ligne Régime ARV de lère Ligne Régime ARV de lère Ligne		-				-	-	-

## 11.2. Viewing indicator data as a supplier

When a corresponding Customer Requisition has been generated the indicator data can be viewed in the requisition by clicking the "Indicators" button in the top right corner.

Note that in the Customer Requisition indicator data be viewed but not edited.

Previous: The Mobile Dashboard Next: Mobile Settings

mSupply Foundation Documentation - https://wiki.msupply.foundation/

From: https://wiki.msupply.foundation/ - mSupply Foundation Documentation

Permanent link: https://wiki.msupply.foundation/en:mobile:user\_guide:indicators?rev=1580184369



Last update: 2020/01/28 04:06