

Vaccine Dispensing Setup

The screenshot shows a web application window titled "Edit store" for a store named "Hufflepuff Health Centre". The window has a tabbed interface with the following tabs: General (selected), Preferences, Master lists, Logo, Synchronisation, Custom fields, and Log. The "General" tab contains the following fields and options:

- Store code: (highlighted with a red box)
- Store type: (dropdown menu)
- Name:
- Organization name:
- Address line 1:
- Address line 2:
- Address line 3:
- Address line 4:
- Address line 5:
- Postal/Zip Code:
- Phone:
- Tags:
- ☐ Disable this store
- Responsible officer: (dropdown menu)
- Store credentials section:
 - ☐ Use store credentials
 - Username:
 - Password:
- View name associated with this store:

At the bottom of the window, there are four buttons: "OK & Previous", "OK & Next", "Cancel", and "OK".

Ensure that your store has visibility of at least one item that is a vaccine

Add item...

Type **normal**

Item code

Item name

General Stores Master lists Barcodes

Units **None**

Category 1

Category 2 **None**

Category 3 **None**

Department **None**

Default shelf location

Default pack size **1**

Default weight **0**

Price list

Non stock item

Default customer

Is a vaccine? ☒

Doses **10**

Restricted to **None**

VEN Category

☐ Not assigned

☐ Vital

☐ Essential

☐ Necessary

Stock category


☐ Normal stock

☐ Critical stock

☐ Essential drug


Cancel OK & Next OK

If you want to record when a patient has refused a vaccine, you need to create a patient event. Otherwise, no record will be created.



The 'Patient event list...' window displays a table with four columns: Code, Description, Event type, and Unit. The table contains three rows of data, with the first row highlighted in blue. The 'Code' column has values NT, PCD, and RV. The 'Description' column has values Note, Patient clinical data, and Refused vaccination. The 'Event type' column has values DS, OB, and OB. The 'Unit' column is empty. The window also features a 'New' button (plus icon) and a 'Delete' button (minus icon) at the top left. At the bottom left, it shows '3/3' and at the bottom right, there is an 'OK' button.

Code.	Description	Event type	Unit
NT	Note	DS	
PCD	Patient clinical data	OB	
RV	Refused vaccination	OB	



The 'Edit patient event' window allows editing a patient event. It contains four fields: 'Code' (set to RV), 'Description' (set to Refused vaccination), 'Event type' (a dropdown menu), and 'Units' (an empty text field). At the bottom, there are 'Cancel' and 'OK' buttons.

Code:

Description:

Event type:

Units:

If you want to record extra patient information during vaccinations, get in contact with The mSupply Foundation as we have no interface for you to create the forms, yet.

Once complete, your mSupply mobile interface will look like this:



From:
<https://wiki.msupply.foundation/> - **mSupply Foundation Documentation**

Permanent link:
https://wiki.msupply.foundation/en:mobile:user_guide:vaccine_dispensing:setup?rev=1616119935

Last update: **2021/03/19 02:12**

